



# Photonic Testing Report

by  
Caroline Mansfield  
DipNat





# Photonic Shield Router Test



# My Brief



As a qualified naturopath and live blood microscopist of 22 years, I have been asked to test the Photonic EMF Protection Shield for effectiveness against router radiation and the effect on red blood cells.



The report below highlights my findings based on my research.

# Test Structure and Timeline

Test subject arrived hydrated, 500 mls water consumed prior to arrival

Light breakfast consumed

No device used or router exposure prior to the test starting

08.45 Room orientation phase to settle test subject into environment

09.45 First blood sample taken (photos and video)

10.15 20-minute sitting in front of a router (without Photonic Shield)

10.45 Second blood sample taken (photos and video)

11.15 20-minute sitting in front of a router (with Photonic Shield)

11.45 Third blood sample taken (photos and video)

12.45 Test complete

# First Blood Sample

Baseline

Peripheral blood sample taken after test subject sat quietly in the room for one hour in order to settle the body into the environment.

## **Blood Parameters**


Healthy blood picture across sample

Healthy cell membranes

Clean plasma


Red blood cells free flowing




A high-magnification microscopic image of a blood smear. The field is densely packed with numerous red blood cells, which appear as uniform, circular discs with a distinct reddish-brown color and a thin, lighter-colored rim. The background is a dark, mottled blue-grey, suggesting the presence of plasma or other cellular components. A white circular overlay in the top-left corner contains the text 'First Blood Sample Image 1'.


First Blood  
Sample  
Image 1

First Blood  
Sample  
Image 2



First Blood  
Sample  
Image 3





First Blood Sample - Video

# Second Blood Sample

After Router Exposure

Peripheral blood sample taken after test subject sat before a router for 20 minutes. Photonic Shield was **not** used.

## **Blood Parameters**

Coagulated blood picture across sample


Erythrocyte aggregation (Red blood cells clumping)

Rouleaux (stacking of red blood cells)


Red blood cell flow inhibited




Second  
Blood  
Sample  
Image 1




Second  
Blood  
Sample  
Image 2






Second  
Blood  
Sample  
Image 3



Second  
Blood  
Sample  
Image 4



Second Blood Sample – Video

# Third Blood Sample

After Router Exposure with Photonic Shield

Peripheral blood sample taken after test subject sat before a Router for 20 minutes. Photonic Shield was placed in the trouser pocket of test subject.

## **Blood Parameters**

Improved blood picture across sample  
(superior to Baseline)


Red blood cells are no longer coagulated

Erythrocyte aggregation not present

Rouleaux not present


Red blood cells free flowing




A microscopic image showing a dense field of red blood cells. The cells are circular and appear as bright, glowing outlines against a dark background. They are distributed across the entire frame, with some clusters and many individual cells. A white circular label is positioned in the upper-left corner.


Third Blood  
Sample  
Image 1

Third Blood  
Sample  
Image 2





Third Blood  
Sample  
Image 3



Third Blood Sample - Video

# Caroline Mansfield DipNat

Registered Naturopath mGNC, mNNA, mCMA

Wellness Coach | Live Blood Microscopist

Research Analyst | Speaker

+44 7824 994 071

[caroline@carolinemansfield.com](mailto:caroline@carolinemansfield.com)

[www.carolinemansfield.com](http://www.carolinemansfield.com)

